


Simple  
Sew

2  
SLEEVE  
OPTIONS



#002

Sizes 8-18

ADVENTUROUS  
BEGINNER


# *The* Lottie Blouse

Sew up this timeless blouse with its chic pussy-bow feature





FRONT



BACK

The pussy bow is a timeless design feature that looks great for formal and casual occasions alike. Sew the blouse with or without sleeves.

#### FINISHED GARMENT MEASUREMENTS

Size	Bust	Waist	Hips
8	33"	26"	36"
10	35"	28"	38"
12	37"	30"	40"
14	39"	32"	42"
16	41"	34"	44"
18	43"	36"	46"

#### FABRIC SUGGESTIONS

Tana lawn, lightweight cotton, satin, chiffon.

#### FABRIC REQUIREMENTS

Size	60" wide	Bias binding*
8	1.60m	46cm
10	1.60m	48cm
12	1.60m	50cm
14	1.65m	52cm
16	1.65m	54cm
18	1.65m	56cm



\* Sleeveless version

#### NOTIONS

Bias binding (for sleeveless version)

## The Lottie Blouse #002

### KEY

-  Right side
-  Wrong side
- - - - - Stitch line
- RST = right sides of fabric together




FRONT

BACK

SEAM ALLOWANCES ARE 1CM FOR BLOUSE

### BLOUSE LAYPLAN 60"



FOLD

- 1 - NECK TIE (CUT 1 PAIR)
- 2 - NECK BIAS BINDING (CUT 2)
- 3 - FRONT BLOUSE (CUT 1 ON FOLD)
- 4 - BLOUSE BACK (CUT 1 ON FOLD)
- 5 - SLEEVE (CUT 2)

## GENERAL PREPARATION

It is really important to launder your fabric (according to the manufacturer's instructions) before you begin - this allows for shrinkage.

First of all, after you have cut out your pattern pieces, make your neckline binding (see opposite page). On the blouse you can overlock or zig zag stitch the bottom, top and side edges of the sleeves, the armhole, edges if attaching sleeves (don't bother if you are making the sleeveless version as you will be bias binding the armhole edges), and the bottom edge of blouse front and back. You are now ready to start creating your outfit!

### SIZE CHART

Size	Bust	Waist	Hips
8	33"	26"	36"
10	35"	28"	38"
12	37"	30"	40"
14	39"	32"	42"
16	41"	34"	44"
18	43"	36"	46"


# Pussy Bow Tie Blouse Instructions

1




Pin and sew darts into front bodice iron upwards. Press darts in place.

2



With RST pin Front and Back blouse shoulders together. Sew 1cm seam. Press seams open.


3





Fold binding over and pin in place on wrong side around neckline. Sew at folded outer edge.

4


Sleeveless Version  
Follow stages 1 to 3,  
then RST join  
Front and Back bodices  
at side seams and then  
add bias binding  
(See instructions  
right)  
to armholes and  
continue to step 7.



Sew bias binding in place RST around armhole finishing on top of and at end of folded edge.




Trim armhole edge to match bias binding edge.



Pin bias binding in place on the wrong side. Sew at outer folded edge. Repeat for other armhole.


\* see our website for video tutorial of how to attach bias binding

5




Sew a running stitch on sleeve curve between notches and gather the sleeve head so it will fit curve of armhole.

6



Pin and place the gathered sleeve RST with blouse. Stitch in place.

7




RST stitch down side seams from the top of sleeve making sure to match seams (X).

# Pussy Bow Tie Blouse Instructions

8

Fold collar in half RST




Sew the pieces together using a 1cm seam allowance and press open. Leaving a 1 cm seam allowance, stitch from a to b and from c to d leaving a turning through gap between b and c. Turn tie through to right side through the gap you have left. Top stitch gap closed. Press.

10



TURN COLLAR OUT AND PRESS.


9



Pin and place neck tie to WS of the neck of blouse. Make sure the centre back notch on the collar aligns with the centre back notch on the blouse. Start sewing (X) and end on other side at the same place (Y).

11


Turn up blouse hem by 0.5cm and iron flat, stitch all the way around and repeat. Press. Now turn up sleeve edges and repeat the same process. Press.



## Neck line Bias Binding


You will need to make your neck binding from the same fabric you are making your blouse with (the binding for your sleeveless version can be the ready made shop bought type).


You can make your binding very simply by folding in each long edge of your neck binding strip towards the centre by 1cm and pressing the edges flat. Or if you have a bias binding maker, you can use that instead.




Long edge

\* Don't forget your bias binding needs to be cut on the bias!






2



STRAIGHT GRAIN






4


# BACK BLOUSE

CUT ONE FABRIC ON FOLD

1.5cm seam allowance included

3





5

Simple  
Sew

LOTTIE BLOUSE

#002

er to fit armhole curve

Simple  
Sew


LOTTIE BLOUSE

#002


STRAIGHT GRAIN


5

SLEEVE  
CUT TWO FABRIC  
CUT ONE FABRIC ON FOLD  
1.5cm seam allowance included




7





STRAIGHT GRAIN




PLACE TO FOLD

NECK TIE  
CUT ONE PAIR  
1cm seam allowance included




10






11




12

Gath



2

13




# NECK BINDING


CUT ONE FABRIC

1.5cm seam allowance included

14



15



16

STRAIGHT GRAIN

PLACE TO FOLD

*Simple*  
*Seam*

LOTTIE BLOUSE

#002

3

# FRONT BLOUSE

CUT ONE FABRIC ON FOLD

1.5cm seam allowance included

